

## 兔抗 CRKL 多克隆抗体

|       |                                      |
|-------|--------------------------------------|
| 中文名称: | 兔抗 CRKL 多克隆抗体                        |
| 英文名称: | Anti-CRKL rabbit polyclonal antibody |
| 相关类别: | 一抗                                   |
| 储存:   | 冷冻 (-20℃)                            |
| 宿主:   | Rabbit                               |
| 抗原:   | CRKL                                 |
| 反应种属: | Human, Mouse, Rat                    |
| 标记物:  | Unconjugate                          |
| 克隆类型: | rabbit polyclonal                    |

### 技术规格

|                                |   |
|--------------------------------|---|
| <b>Background:</b>             | This gene encodes a protein kinase containing SH2 and SH3 (src homology) domains which has been shown to activate the RAS and JUN kinase signaling pathways and transform fibroblasts in a RAS-dependent fashion. It is a substrate of the BCR-ABL tyrosine kinase, plays a role in fibroblast transformation by BCR-ABL, and may be oncogenic. |
| <b>Applications:</b>           | ELISA, WB, IHC  |
| <b>Name of antibody:</b>       | CRKL  |
| <b>Immunogen:</b>              | Synthetic peptide of human CRKL   |
| <b>Full name:</b>              | v-crk avian sarcoma virus CT10 oncogene homolog-like  |
| <b>SwissProt:</b>              | P46109  |
| <b>IHC positive control:</b>   | Human gastric cancer and human thyroid cancer   |
| <b>IHC Recommend dilution:</b> | 25-100  |
| <b>WB Predicted band size:</b> | 34 kDa  |

**WB Positive control:**

Lovo, A431, A549, hela, hepG2 and Raji cells, mouse brain tissue

**WB Recommended dilution:**

500-2000

